



Company Profile

Exporting company that drives it's success through it's customer's success If you are looking for a company to help you receive a remarkable quality of products. You have come to the right place. We provide with the best of products as per the customer"s demand and our services around the globe

About Us

We are an exporting company with over 20 years of experience in exporting of various hand tools, lubrication Equipments..

Our mission is to enlighten our customers with our quality products by providing them at affordable prices and deliver them on time in intact condition as promised.

Vision.

Our vision is to become a global exporting company in providing the best and satisfying services to our customers. Let us together build a flourishing business, When connected with us, you aren't growing your business alone.

We have your back and put in our best to contribute to the growth of your entire team and organization. So, if you are looking for the right agency that will help you build a good online presence and bring in more conversions and revenue, we are right here!









FIND APPLICATION IN A VARIETY OF INDUSTRIES









RICULTURE CEM

_ANT AL

DI





BYZAS DIY TOOLS

OIL CANS WESCO TYPE



Flexible Spout

Regid Spout

Body of oil cans drawn from coated sheet heavy gauge. Detachable rigid & Flex spouts.

All models are available in steel & Brass Pump as per order. Colour as per order.

| MODEL NO. | CAPACITY |
|-----------|------------|
| BZ 101 | 1/4 PINT |
| BZ 102 | 1/2 PINT |
| BZ 103 | 3/4 PINT |
| BZ104 | 1 PINT |
| BZ 105 | 1.1/2 PINT |
| BZ 106 | 2 PINT |

OIL CANS PREFETO TYPE



Flexible Spout

Regid Spout

A done shaped body from heavy gauge has a modern design.

Detachable rigid & Flex spouts.

All models are available in steel & Brass Pump as per order. Colour as per order.

| MODEL NO. | CAPACITY |
|-----------|----------|
| MODEL NO. | CC |
| BZ 111 | 200 |
| BZ 112 | 300 |
| BZ 113 | 400 |
| BZ 114 | 500 |
| R7 115 | 700 |

PISTOL OILER



Easy use one hand operated pistol grip oil can with heavy quage.

Detachable rigid & Flex spouts.

All models are available in steel & Brass Pump as per order. Colour as per order.

| MODEL NO. | CAPACITY |
|-----------|----------|
| WODEL NO. | CC |
| BZ 121 | 200 |
| BZ 122 | 300 |
| BZ 123 | 400 |

BENCH OILER





Oil discharge is through the "Snap-action" of the oil can base

All Heavy steel painted with special spring action steel bottom.

Available with rigid spout.

Colour as per order

| MODEL NO. | CAPACITY |
|-----------|----------|
| WODEL NO. | CC |
| BZ 131 | 150 |
| BZ 132 | 250 |



GREASE GUN LEVER TYPE



INDUSTRIAL AGRICULTURE

Byzas DIY Tools

Available In BSP, BSPT, NTP THREADS

GREASE GUN MINI LEVER TYPE



Develops Upto 5000 PSI Designed for Use in General Lubrication and Daily maintenance works.



GREASE GUN LEVER TYPE

Develops Upto 4000 PSI Designed for Use in General Lubrication and Daily maintenance works.



GREASE GUN LEVER TYPE

Develops Upto 2500 PSI For use in light or medium applications



Develops Upto 2000 PSI For use in light or medium applications.

| MODEL NO. | CAPA | CITY |
|-----------|------|------|
| MODEL NO. | OZ. | CC |
| BZ 242 | _ 15 | 445 |

| | MODEL NO. | CAPACITY | |
|-----------|-----------|----------|-----|
| MODLL NO. | 0Z. | CC | |
| Ī | BZ 243 | 10 | 300 |

| MODEL NO. | CAPACITY | |
|-----------|----------|-----|
| | OZ. | CC |
| BZ 244 | 8 | 200 |

| MODEL NO. | CAPACITY | |
|-----------|----------|-----|
| | OZ. | CC |
| BZ 245 | 4 | 100 |

GREASE GUN LEVER TYPE

GREASE GUN LEVER TYPE







Develops upto 8000 PSI
For use with 14oz (400 gms) grease
cartridge or 500cc bulk.
Supplied with rigid or flexible hose &
coupler as per order.
Lock lever mechanism for easier
loading & bleedingcartridge loading.
Best of agriculture, Industrial and
Automobile application.



Develops upto 8000 PSI
For use with 14oz (400 gms) grease cartridge.
Supplied with rigid or flexible hose & coupler.
Lock lever mechanism for easier loadil

Lock lever mechanism for easier loading & bleeding cartridge loading. Best of agriculture, Industrial and Automobile application.

| 400 | 1 | |
|-----|---|----|
| | | |
| | | |
| | | W. |

Develops upto 8000 PSI
Supplied with rigid or flexible hose & coupler as per order.
Lock lever mechanism for easier loading & bleeding cartridge loading.
Best of agriculture, Industrial and Automobile application



For Use light duty grease

| MODEL NO. | CAPACITY | |
|-----------|----------|-----|
| | OZ. | CC |
| BZ 246 | 16 | 500 |

| MODEL NO. | CAPACITY | |
|-----------|----------|-----|
| MODEL NO. | OZ. | CC |
| BZ 247 | 15 | 445 |

| MODEL NO. | CAPACITY | |
|-----------|----------|------|
| | OZ. | CC |
| BZ 248 | 32 | 1000 |

| MODEL NO. | CAPA | CITY |
|-----------|------|------|
| MODEL NO. | 0Z. | CC |
| BZ 249 | 4 | 100 |
| BZ 250 | 8 | 200 |

OIL GUN PUSH TYPE

SUCTION OIL GUN

SUCTION OIL GUN

SUCTION OIL GUN



For Light Duty Application.



Supplied with rigid goose neck spout. For use both draining & Refilling.



Ideal for sucking coolant & gear on. 12" Rexible hose with end fitting.



Rugged transfer gun designed for use with gear oil to get them both in and out to gear.

Supplied with 12" Flexible vinyl hose.

| MODEL NO. | CAPACITY | |
|-----------|----------|-----|
| MODEL NO. | OZ. | CC |
| BZ 251 | 8 | 200 |

| MODEL NO. | CAPA | CITY |
|-----------|------|------|
| MODEL NO. | OZ. | CC |
| BZ 252 | 12 | 300 |

| MODEL NO. | CAPACITY | |
|-----------|----------|-----|
| | OZ. | CC |
| BZ 253 | 12 | 300 |

| MODEL NO. | CAPACITY | |
|-----------|----------|-----|
| MODEL NO. | OZ. | CC |
| B7 254 | 16 | 500 |





Available In BSP, BSPT, NTP THREADS

GREASE GUN MICRO PISTOL TYPE GREASE GUN PISTOL TYPE



For Use light duty grease

| 9/2 | 7 |
|-----|---|
| | |
| | |

| MODEL NO. | CAPA | CITY |
|-----------|------|------|
| MODEL NO. | 0Z. | CC |
| BZ 255 | 4 | 100 |
| BZ 256 | 8 | 200 |



Designed for use confined spaces

Easy one hard operation unique design for easy cartridge loading & complete discharge. Heavy constructed steel painted body

T-type puling rod

The deliver pipe are attached on two sides as per requirement one 90° of the barrel &other is 180°

| MODEL NO. | CAPA | CITY |
|-----------|------|------|
| MODEL NO. | 0Z. | CC |
| BZ 271 | 3 | 90 |



Develops upto 6000 PSI Easy one hard operated. Side port for bulk loader or air bleeder. 6" steel extension or 12" flexible hose with jaw type coupler as per order.

For use with 14oz (400gms) grease cartridge of 500cc bulk grease.

| MODEL NO. | CAPACITY | | |
|-----------|----------|-----|--|
| MODEL NO. | 0Z. | CC | |
| B7 272 | 14 | 500 | |

SUCTION OIL GUN

TRANSFER PUMP



Rugged transfer gun designed for use with gear oil to get them both in and

Supplied with 12" Flexible vinyl hose.



This design is safe and comfortable to use pump which allows transferring fluid from one container to another in a single stroke. Transfer pump has heavy constructed steel

double non-return value

MODEL NO.

BZ 278

| - |
|--|
| This decian is cafe and comfortable to use |

barrel with dual action.

15 | 500

| too to cate and constructed to the | Harris Orientini etter Ota al la adic |
|------------------------------------|---------------------------------------|

Heavy Construction Steel body. Pressing the trigger achieve continue flow of grease.

GREASE CONTROL GUN HIGH PRESSURE

Bar pressure for use with power operated equipments.

Supplied with 6" steel extension spout & high pressure coupler.

| MODEL NO. | CAPACITY BAR |
|-----------|-----------------|
| B7 279 | 80 |



FOOT AIR PUMP KIT

| MODEL NO. | |
|-----------|--|
| BZ 293 | |

| MODEL NO. | CAPACITY | | |
|-------------|----------|-----|--|
| WIODEL ING. | 0Z. | CC | |
| BZ 277 | 16 | 500 | |
| | | | |

FOOT OPERATED AIR PUMP HEAVY **DUTY WITH PRESSURE METER**

Heavy duty steel body. Used to Inflate Foot Ball, air toys, automotive



Heavy duty steel body.

MODEL NO. BZ 294





| MODEL NO. | DESCRIPTION |
|-----------|-----------------------------------|
| BZ 331 | Professional Lever Barrel Pump |

LIFT ACTION CHEMICAL PLASTIC



| MODEL NO. | DESCRIPTION |
|-----------|---------------|
| BZ 332 | For 20 Liters |

PLASTIC CHEMICAL ROTARY PUMP



Plastic rotary pump use with media where cast iron pump cannot 1" Discharge spout & 2" Plastic adaptor. Recommended use for petroleum products, water based fluid, antifreeze chemicals & acid. Do not use with acetone lacquer mineral oils, solvents,

MODEL NO.

turpentine etc.





ROTARY BARREL PUMP

PRODUCT BRIEF

Most Popularly Used Pump Worldwide. The Byzas version of the rotary pump is superior to any other with features such as dual directional operation which allows the pump to both empty as well as refill containers pump body is study cast iron precisely machined cast iron vanes for better draw & Smoother delivery pump seals are made from Hi Nitrite rubber fits 15 gallons (50 liters) to 55 gallons (205 Liter) bung nut & steel discharge spouts.

WETTED COMPONENTS

Steel, Cast iron, NBR

RECOMMENDED USE

Diesel, Kerosene heating Oils, Motor Oils, Lubricating Oils (upto SAE 90,) and Other non-corrosive media.

DO NOT USE

With Water based media, Antifreeze, Solvents, Acids and gasoline etc.



| MODEL NO. | SIZE | DESCRIPTION | SUCTION TUBE |
|-----------|------|----------------------|------------------|
| BZ 341 | 1" | STD. | Rigid |
| BZ 342 | 1" | STD With | Telescopic |
| | | Flexible Hose 1 Mtr. | Pipe |
| BZ 343 | _1" | STD Without | Telescopic |
| | | Flexible Hose | Pipe |
| BZ 344 | _1" | STD. | 3PcsSuction Tube |







NDUSTRIAL AGRICULTURE CONSTRUCT

Byzas DIY Tools

BUCKET GREASE PUMP

Variable stroke output designed for quick effortless greasing in applications requiring everyday lubrication such as greasing of excavators & other earth moving equipment, agriculture equipment, automotive applications etc.

WETTED COMPONENTS

Steel, Aluminum, Brass & Nitrite Rubber

The Pump delivers upto 9 gms (0.30 oz.) of grease per stroke which is twice the amount of grease discharge by any other pump. Fully CNC machined to very close tolerances, the pump develops pressure upto 4000 PSI (275 BAR). Whereas most pumps work only with light grease.

BUCKET GREASE PUMP

Lever operated pump mounted on the cover of drum.

Quick & easy open able cover.

adjustable carry cover

Working pressure up to 4000 PSI

Pump has steel construction cast head and solid steel pump chamber.

 $3/8" \times 2.2m$ Wire braided Oic resistance high pressure hose. Delivery rate 4.25 gms/stroke

INSTRUCTION

Always use oil mixed semi solid dust free.

Grease do not replace spilled grease from the floor into the container.

The Pressure hose and the unit should be kept clean. release pressure when not in use.







WITHOUT TROLLEY

| | W | lΤ | Ή | TF | 30 |)LL | EY. | |
|--|---|----|---|----|----|-----|-----|--|
|--|---|----|---|----|----|-----|-----|--|

| MODEL NO. | CAPACITY KG. | MODEL NO. | CAPACITY KG. |
|-----------|-----------------|-----------|-----------------|
| BZ 351 | 5 | BZT | 5 |
| BZ 352 | 10 | BZT | 10 |
| BZ 353 | _15 | BZT | 15 |
| BZ 354 | 20 | BZT | 20 |

BUCKET GREASE PUMP SPARES

S-45:

High Pressure wire braided hose 1/4 * Dia 2-2 Meter long for Grease bucket pump fitted with rigid spout hydraulic coupler. **\$.46**:

High Pressure wire braided hose 1/4 $^{\circ}$ Dia 2-2 Meter hose for grease bucket pump without accessories.

Spare Kit:

- 1. Spring 2. Steel Ball 3. Suction Cup 4. Rubber Gasket
- 5. Brass Vaive 6. Hose Washer



HEAVY DUTY MEASURING JUGS

| MODEL NO. | CAPACITY LITERS |
|-----------|--------------------|
| BZ 361 | 1 |
| BZ 362 | 2 |
| BZ 363 | 3 |
| BZ 364 | 5 |



GARAGE FUNNEL



MODEL NO. BZ 361





FLEXIBLE DELIVERY PIPE

BZ 371

Heavy Duty Rubber/PVC Hose/Meter Long With Steel Discharge bend

HANDLE

BZ 372

Handle for Rotary Pump Sand casting.

BARREL PUMP SPOUT

BZ 373

Handle contracted steel pipe chrome plated or painted available.

DRUM NUT

BZ 374

The sand casting component size 2" diameter is used with barrel & any type of thread is available.





GREASE GUN RIGID PIPE

BZ 376



FLEXIBLE HOSE (RAYON BRAIDED

BZ 381

For hand operated grease gun only.

Zinc plate steel connections with positive crimping excellent for confined area.


Selected lengths available in the following variations. Size 8"/12"/15"/18"/24"

FLEXIBLE HOSE (RAYON BRAIDED)

Bz 382

For hand operated grease gun only.
Zinc plate steel connections with positive.
Selected lengths available in the following variations.

Size 8"/12"/15"/18"/24"



SUCTION TUBE FOR HAND ROTARY PUMP

BZ 385 -1/4 X 16G, IMT, Long, ERW Steel pipe Tobe used with I" outlet capacity hand rotary Pump

BZ 386 -2 For Hand Rotary with 2 Pcs sections BZ 387 -3 For Hand Rotary with 3 Pcs sections



GREASE GUNS SPARES & ACCESSORIES













Double Open End Spanner Cold Stamp (Din 3110)



| Art No. | Size | Length | Net Wt. |
|---------|-------|--------|---------|
| | | in mm | in gms. |
| BZ-1001 | 6x7 | 122 | 23 |
| BZ-1002 | 8x9 | 140 | 32 |
| BZ-1003 | 10x11 | 155 | 50 |
| BZ-1004 | 12x13 | 171 | 62 |
| BZ-1005 | 14x15 | 190 | 80 |
| BZ-1006 | 16x17 | 204 | 110 |
| BZ-1007 | 18x19 | 220 | 150 |
| BZ-1008 | 20x22 | 235 | 200 |
| BZ-1009 | 21x23 | 248 | 230 |
| BZ-1010 | 24x26 | 267 | 320 |
| BZ-1011 | 24x27 | 267 | 275 |
| BZ-1012 | 25x28 | 280 | 345 |
| BZ-1013 | 30x32 | 301 | 450 |
| | | | |

METRIC SIZE

| Art No. | No.of Pcs./ Set | Size mm | Net wt. In gsm. |
|------------|--------------------|---|--------------------|
| BZ-1025 | 6 | 6x7,8x9, 10x11,12x13, 14x15,16x17. | 357 |
| BZ-1026 | 8 | 6x7,8x9, 10x11,12x13, 14x15,16x17, 18x19, 20x22 | 707 |
| BZ-1027 | 12 | 6x7,8x9, 10x11,12x13, 14x15,16x17, 18x19, 20x22,21x23,24x27, 25x28,30x32 | 2007 |

★ SAE & WW SIZES ARE ALSO AVAILABLE





Bi-Hexagonal Ring Spanner

Drop Forged , Chrome Vanadium Steel available in Loose Pieces and Sets

| Art No. | mm | Length | Net Wt. |
|---------|-------|--------|---------|
| | | mm | in gms. |
| BZ-1051 | 6x7 | 183 | 50 |
| BZ-1052 | 8x9 | 192 | 70 |
| BZ-1053 | 10x11 | 202 | 92 |
| BZ-1054 | 12x13 | 217 | 125 |
| BZ-1055 | 14x15 | 233 | 150 |
| BZ-1056 | 16x17 | 251 | 170 |
| BZ-1057 | 18x19 | 268 | 210 |
| BZ-1058 | 20x22 | 296 | 305 |
| BZ-1059 | 21x23 | 322 | 325 |
| BZ-1060 | 24x27 | 330 | 395 |
| BZ-1061 | 25x28 | 345 | 425 |
| BZ-1062 | 30x32 | 370 | 560 |
| | | | |

METRIC SIZES SETS

| Art No. | No.of Pcs./Set | Size mm | Net Wt. in gms. |
|------------|-------------------|---|-----------------|
| BZ-1071 | 6 | 6x7,8x9, 10x11,12x13, 14x15,16x17. | 655 |
| BZ-1072 | 8 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22. | 1170 |
| BZ-1073 | 12 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22, 21x23,24x27, 25x28,30x32 | 2875 |



Combination Open & Ring End Spanner Cold Stamp (Din-3113A)

Drop Forged , Chrome Vanadium Steel Matt Finish available in Loose Pieces and Sets

| Art | SIZE | | Longth | Net Wt. |
|---------|------|--------|--------|---------|
| | | | Length | |
| No. | mm | Inch | mm | in gms. |
| BZ-1171 | 6 | 1/4 | 100 | 18 |
| BZ-1172 | 7 | | 110 | 22 |
| BZ-1173 | 8 | 5/16 | 120 | 26 |
| BZ-1174 | 9 | | 130 | 30 |
| BZ-1175 | 10 | 3/8 | 140 | 42 |
| BZ-1176 | 11 | 7/16 | 150 | 52 |
| BZ-1177 | 12 | | 160 | 60 |
| BZ-1178 | 13 | 1/2 | 170 | 72 |
| BZ-1179 | 14 | 9/16 | 180 | 86 |
| BZ-1180 | 15 | | 190 | 92 |
| BZ-1181 | 16 | 5/8 | 200 | 109 |
| BZ-1182 | 17 | 11/16 | 210 | 132 |
| BZ-1183 | 18 | | 220 | 152 |
| BZ-1184 | 19 | 3/4 | 230 | 160 |
| BZ-1185 | 20 | | 240 | 182 |
| BZ-1186 | 21 | 13/16 | 250 | 192 |
| BZ-1187 | 22 | 7/8 | 260 | 210 |
| BZ-1188 | 23 | | 270 | 250 |
| BZ-1189 | 24 | 15/16 | 280 | 260 |
| BZ-1190 | 25 | 1 | 290 | 300 |
| BZ-1191 | 26 | | 300 | 320 |
| BZ-1192 | 27 | 1.1/16 | 310 | 390 |
| BZ-1193 | 28 | 1.1/8 | 320 | 435 |
| BZ-1194 | 29 | | 330 | 435 |
| BZ-1195 | 30 | | 340 | 460 |
| BZ-1196 | 32 | 1.1/4 | 360 | 560 |

METRIC SIZES SETS

| Art No. | No.of Pcs./Set | Size mm | Net Wt. in gms. |
|------------|-------------------|-----------------------|-----------------|
| BZ-1200 | 5 | 8,10,12,14,17 | 346 |
| BZ-1201 | 6 | 8,10,12,13,14,17 | 418 |
| BZ-1202 | 8 | 6,7,8,9,10,14,17,19 | 516 |
| BZ-1203 | 8 | 8,9,10,11,13,14,17,19 | 600 |
| BZ-1204 | 12 | 6-14,17,19,22 | 910 |
| BZ-1205 | 25 | 6-28,30,32 | 4612 |
| BZ-1206 | 26 | 6-30,32 | 5047 |







Drop Forged, Recessed Panel Carbon Steel, Chrome Plated available in Loose Pieces and Sets.

| Art No. | Size | | Length | Net Wt. |
|---------|------|--------|--------|---------|
| | mm | Inch. | mm | in gms. |
| BZ-1231 | 6 | 1/4 | 100 | 18 |
| BZ-1232 | 7 | | 110 | 20 |
| BZ-1233 | 8 | 5/6 | 120 | 24 |
| BZ-1234 | 9 | | 130 | 28 |
| BZ-1235 | 10 | 3/8 | 140 | 38 |
| BZ-1236 | 11 | 7/16 | 150 | 48 |
| BZ-1237 | 12 | | 160 | 55 |
| BZ-1238 | 13 | 1/2 | 170 | 60 |
| BZ-1239 | 14 | 9/16 | 180 | 80 |
| BZ-1240 | 15 | | 190 | 90 |
| BZ-1241 | 16 | 5/8 | 200 | 105 |
| BZ-1242 | 17 | 11/16 | 210 | 115 |
| BZ-1243 | 18 | | 220 | 130 |
| BZ-1244 | 19 | 3/4 | 230 | 145 |
| BZ-1245 | 20 | | 240 | 170 |
| BZ-1246 | 21 | 13/16 | 250 | 175 |
| BZ-1247 | 22 | 7/8 | 260 | 185 |
| BZ-1248 | 23 | | 260 | 230 |
| BZ-1249 | 24 | 15/16 | 270 | 260 |
| BZ-1250 | 25 | 1" | 280 | 300 |
| BZ-1251 | 26 | | 280 | 325 |
| BZ-1252 | 27 | 1.1/16 | 290 | 350 |
| BZ-1253 | 28 | 1.1/8 | 300 | 400 |
| BZ-1254 | 29 | | 300 | 455 |
| BZ-1255 | 30 | | 310 | 480 |
| BZ-1256 | 32 | 1.1/4 | 320 | 575 |

METRIC SIZES SETS

回用日

| Art No. | No.of Pcs./Set | Size mm | Net Wt. in gms. |
|------------|-------------------|------------------------------|-----------------|
| BZ-1270 | 5 | 8,10,12,14,17 | 312 |
| BZ-1271 | 6 | 8,10,12,13, 14,17 | 372 |
| BZ-1272 | 8 | 6, 7,8,9,10,14,17,19 | 468 |
| BZ-1273 | 8 | 8,9,10,11,13,14,17, 19 | 538 |
| BZ-1274 | 9 | 6,8,10,11,13,14,15, 17,19 | 618 |
| BZ-1275 | 12 | 6-14,17,19,22 | 816 |
| BZ-1276 | 14 | 8-17,19,21,22 | 1148 |
| BZ-1277 | 17 | 6-22 | 1486 |
| BZ-1278 | 25 | 6-28,30,32 | 4406 |
| BZ-1279 | 26 | 6-30,32 | 4861 |





Ring Spanner Cold Stamp

Drop Forged, Recessed Panel Chrome Vanadium Steel, Chrome Plated Polish Head available in Loose Pieces and Sets

| Art No. | Size | Length | Net Wt. |
|---------|-------|--------|---------|
| | | mm | in gms. |
| BZ-1301 | 6x7 | 183 | 50 |
| BZ-1302 | 8x9 | 192 | 60 |
| BZ-1303 | 10x11 | 202 | 85 |
| BZ-1304 | 12x13 | 217 | 115 |
| BZ-1305 | 14x15 | 233 | 130 |
| BZ-1306 | 16x17 | 251 | 170 |
| BZ-1307 | 18x19 | 268 | 200 |
| BZ-1308 | 20x22 | 296 | 275 |
| BZ-1309 | 21x23 | 322 | 295 |
| BZ-1310 | 24x26 | 330 | 370 |
| BZ-1311 | 24x27 | 330 | 370 |
| BZ-1312 | 25x28 | 345 | 395 |
| BZ-1313 | 30x32 | 370 | 515 |

METRIC SIZE


| Art No. | No.of Pcs./Set | Size mm | Net Wt. in gms. |
|------------|-------------------|---|-----------------|
| BZ-1320 | 6 | 6x7,8x9, 10x11,12x13, 14x15,16x17. | 610 |
| BZ-1321 | 8 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22. | 1085 |
| BZ-1322 | 12 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22, 21x23,24x27, 25x28,30x32 | 2660 |

[★] SAE & WW SIZES ARE ALSO AVAILABLE





Double Open End Spanner



| Size | Length | Net Wt. |
|-------|---|---|
| | mm | in gms. |
| 6x7 | 98 | 20 |
| 8x9 | 102 | 25 |
| 10x11 | 110 | 35 |
| 12x13 | 128 | 50 |
| 14x15 | 150 | 65 |
| 16x17 | 162 | 75 |
| 18x19 | 181 | 110 |
| 20x22 | 199 | 155 |
| 21x23 | 208 | 165 |
| 24x26 | 225 | 245 |
| 24x27 | 225 | 245 |
| 25x28 | 233 | 265 |
| 30x32 | 248 | 325 |
| | 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x26 24x27 25x28 | mm 6x7 98 8x9 102 10x11 110 12x13 128 14x15 150 16x17 162 18x19 181 20x22 199 21x23 208 24x26 225 24x27 225 25x28 233 |

METRIC SIZE

| Art No. | No.of Pcs./Set | Size mm | Net Wt. in gms. |
|------------|-------------------|---|-----------------|
| BZ-1395 | 6 | 6x7,8x9, 10x11,12x13, 14x15,16x17. | 270 |
| BZ-1396 | 8 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22. | 535 |
| BZ-1397 | 12 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22, 21x23,24x27, 25x28,30x32 | 1535 |





Bi-Hexagonal Ring Spanner Elliptical Type Full Polish/ Satin Finish (Din-838)

Drop Forged , Chrome Vanadium Steel available in Loose Pieces and Sets

| Art No. | mm | Length | Net Wt. |
|---------|-------|--------|---------|
| | | mm | in gms. |
| BZ-1401 | 6x7 | 183 | 50 |
| BZ-1402 | 8x9 | 192 | 70 |
| BZ-1403 | 10x11 | 202 | 92 |
| BZ-1404 | 12x13 | 217 | 125 |
| BZ-1405 | 14x15 | 233 | 150 |
| BZ-1406 | 16x17 | 251 | 170 |
| BZ-1407 | 18x19 | 268 | 210 |
| BZ-1408 | 20x22 | 296 | 305 |
| BZ-1409 | 21x23 | 322 | 325 |
| BZ-1410 | 24x27 | 330 | 395 |
| BZ-1411 | 25x28 | 345 | 425 |
| BZ-1412 | 30x32 | 370 | 560 |

METRIC SIZES SETS

| Art No. | No.of Pcs./Set | Size mm | Net Wt. in gms. |
|------------|-------------------|---|-----------------|
| BZ-1425 | 6 | 6x7,8x9, 10x11,12x13, 14x15,16x17. | 655 |
| BZ-1426 | 8 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22. | 1170 |
| BZ-1427 | 12 | 6x7,8x9, 10x11,12x13, 14x15,16x17,18x19, 20x22, 21x23,24x27, 25x28,30x32 | 2875 |

★ SAE & WW SIZES ARE ALSO AVAILABLE





Combination Spanner

Drop Forged, Chrome Vanadium Steel available in Loose Pieces and Sets

| Art | SI | ZE | Length | Net Wt. |
|---------|----|--------|--------|---------|
| No. | mm | Inch | mm | in gms. |
| BZ-1430 | 6 | 1/4 | 100 | 18 |
| BZ-1431 | 7 | | 110 | 22 |
| BZ-1432 | 8 | 5/16 | 120 | 26 |
| BZ-1433 | 9 | | 130 | 30 |
| BZ-1434 | 10 | 3/8 | 140 | 42 |
| BZ-1435 | 11 | 7/16 | 150 | 52 |
| BZ-1436 | 12 | | 160 | 60 |
| BZ-1437 | 13 | 1/2 | 170 | 72 |
| BZ-1438 | 14 | 9/16 | 180 | 86 |
| BZ-1439 | 15 | | 190 | 92 |
| BZ-1430 | 16 | 5/8 | 200 | 109 |
| BZ-1431 | 17 | 11/16 | 210 | 132 |
| BZ-1432 | 18 | | 220 | 152 |
| BZ-1433 | 19 | 3/4 | 230 | 160 |
| BZ-1434 | 20 | | 240 | 182 |
| BZ-1435 | 21 | 13/16 | 250 | 192 |
| BZ-1436 | 22 | 7/8 | 260 | 210 |
| BZ-1437 | 23 | | 270 | 250 |
| BZ-1438 | 24 | 15/16 | 280 | 260 |
| BZ-1439 | 25 | 1 | 290 | 300 |
| BZ-1440 | 26 | | 300 | 320 |
| BZ-1441 | 27 | 1.1/16 | 310 | 390 |
| BZ-1442 | 28 | 1.1/8 | 320 | 435 |
| BZ-1443 | 29 | | 330 | 435 |
| BZ-1444 | 30 | | 340 | 460 |
| BZ-1445 | 32 | 1.1/4 | 360 | 560 |
| BZ-1446 | 33 | | 380 | 680 |
| BZ-1447 | 34 | | 380 | 685 |
| BZ-1448 | 36 | | 391 | 870 |
| BZ-1449 | 38 | | 391 | 809 |
| BZ-1450 | 41 | | 439 | 1165 |
| BZ-1451 | 46 | | 540 | 2120 |
| BZ-1452 | 50 | | 540 | 2060 |
| | | | | |

METRIC SIZES SETS

| _ | | | |
|------------|-------------------|-----------------------|---------|
| Art No. | No.of Pcs./Set | Size mm | Net Wt. |
| INO. | 1 65./061 | | in gms. |
| BZ-1470 | 5 | 8,10,12,14,17 | 346 |
| BZ-1471 | 6 | 8,10,12,13,14,17 | 418 |
| BZ-1472 | 8 | 6,7,8,9,10,14,17,19 | 516 |
| BZ-1473 | 8 | 8,9,10,11,13,14,17,19 | 600 |
| BZ-1474 | 12 | 6-14,17,19,22 | 910 |
| BZ-1475 | 25 | 6-28,30,32 | 4612 |
| BZ-1476 | 26 | 6-30,32 | 5047 |



CHROME

VANADIUM



Double Open End Spanner Elliptical Type Full Polish/ Satin Finish (Din-3110)

Drop Forged , Chrome Vanadium Steel available in Loose Pieces and Sets

| Art | Size | Length | Net Wt. |
|---------|-------|--------|---------|
| No. | | mm | in gms. |
| BZ-1491 | 6x7 | 122 | 24 |
| BZ-1492 | 8x9 | 140 | 32 |
| BZ-1493 | 10x11 | 155 | 55 |
| BZ-1494 | 12x13 | 171 | 76 |
| BZ-1495 | 14x15 | 190 | 112 |
| BZ-1496 | 16x17 | 204 | 130 |
| BZ-1497 | 18x19 | 220 | 165 |
| BZ-1498 | 20x22 | 235 | 210 |
| BZ-1499 | 21x23 | 248 | 240 |
| BZ-1500 | 24x26 | 267 | 315 |
| BZ-1501 | 24x27 | 267 | 315 |
| BZ-1502 | 25x28 | 280 | 360 |
| BZ-1503 | 30x32 | 301 | 485 |

METRIC SIZES SETS

| Art No. | No.of Pcs./Set | Size mm | Net Wt. in gms. |
|------------|-------------------|-----------------------|-----------------|
| BZ-1525 | 6 | 6x7,8x9, 10x11,12x13, | |
| | | 14x15,16x17. | 429 |
| BZ-1526 | 8 | 6x7,8x9,10x11,12x13, | |
| | | 14x15,16x17,18x19, | 804 |
| | | 20x22. | |
| BZ-1527 | 12 | 6x7,8x9, 10x11,12x13, | 2204 |
| | | 14x15,16x17,18x19, | |
| | | 20x22, 21x23,24x27, | |
| | | 25x28,30x32 | |

★ SAE & WW SIZES ARE ALSO AVAILABLE





Two Way Wheel Spanner Single Step BZ-1550 ☐ Drop Forged from En 8 Grade Steel. ☐ Fully Hardened & Tempered.

- ☐ Chrome Plated.
- ☐ FullyPolished.
- ☐ Available in Chrome Finish,

| | Size | | Wall | Rod Dia. | Length |
|--|-------|---------------|----------------|----------|--------|
| | MM | SAE | Thickness (mm) | (mm) | (mm) |
| | 24x27 | 15/16x1.1/16 | 7 | 26 | 400 |
| | 27x27 | 1.1/16x1.1/16 | 7 | 26 | 400 |
| | 27x30 | 1.1/16x1.3/16 | 7 | 26 | 400 |
| | 27x32 | 1.1/16x1.1/4 | 7 | 26 | 400 |
| | 27x33 | 1.1/16x1.5/16 | 7 | 26 | 400 |
| | 30x30 | 1.3/16x1.3/16 | 7 | 26 | 400 |
| | 30x33 | 1.3/16x1.1/4 | 7 | 26 | 400 |
| | 33x33 | 1.3/16x1.5/16 | 7 | 26 | 400 |
| | 21x41 | 1.5/16x1.5/16 | 7 | 26 | 400 |
| | 21x38 | | | 26 | 400 |



Two Way Wheel Spanner Single Step BZ-1560 ☐ Drop Forged from En 8 Grade Steel. ☐ Fully Hardened & Tempered.

- ☐ Chrome Plated.
- \square FullyPolished.
- ☐ Available in Epoxy Grey Finish,

| | Size | Wall | Rod Dia. | Length |
|-------|---------------|----------------|----------|--------|
| MM | SAE | Thickness (mm) | (mm) | (mm) |
| 24x27 | 15/16x1.1/16 | 7 | 26 | 400 |
| 27x27 | 1.1/16x1.1/16 | 7 | 26 | 400 |
| 27x30 | 1.1/16x1.3/16 | 7 | 26 | 400 |
| 27x32 | 1.1/16x1.1/4 | 7 | 26 | 400 |
| 27x33 | 1.1/16x1.5/16 | 7 | 26 | 400 |
| 30x30 | 1.3/16x1.3/16 | 7 | 26 | 400 |
| 30x33 | 1.3/16x1.1/4 | 7 | 26 | 400 |
| 33x33 | 1.3/16x1.5/16 | 7 | 26 | 400 |
| 21x41 | 1.5/16x1.5/16 | 7 | 26 | 400 |
| 21x38 | | | 26 | 400 |



Four Way Wheel Spanner BZ-1570 □ Drop Forged from Carban Steel. □ Induction Hardened & Tempered.

- ☐ Chrome Plated.
- ☐ Available in Chrome Finish / Epoxy Black Coated Finish.

| Socket Size | Length | Rod Dia. |
|-----------------------|--------|----------|
| (mm) | (mm) | (mm) |
| 17 x 19 x 21 x 23 | 7 | 26 |
| 17 x 19 x 21 x 1/2" | 7 | 26 |
| 17 x 19 x 21 x 13/16" | 7 | 26 |
| 17 x 19 x 21 x 22 | 7 | 26 |







P A C K A G I N G S















MANGLAM TRADINGS





MANGLAM TRADINGS

EXPORTERS OF: LUBRICATING EQUIPMENTS & HAND TOOLS #B019-1401A-55, PLOT NO. 72-A, ASHOK VIHAR, NEAR RISHI NAGAR, TELEPHONE EXCHANGE, LUDHIANA-141 001

E-Mail: byzasexports@gmail.com byzastools@gmail.com
Website: byzastools.com

Website: byzastools.com Mobile No.: +91 98728 07998, +91 73075 70278 GSTIN: 03ADMPS9997F1ZR

20